DRAFT TOXICOLOGICAL PROFILE FOR NICKEL

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service
Agency for Toxic Substances and Disease Registry

September 2003

NICKEL

DISCLAIMER

The use of company or product name(s) is for identification only and does not imply endorsement by the Agency for Toxic Substances and Disease Registry.

NICKEL iii

UPDATE STATEMENT

A Toxicological Profile for nickel was released in 1997. This edition supersedes any previously released draft or final profile.

Toxicological profiles are revised and republished as necessary, but no less than once every three years. For information regarding the update status of previously released profiles, contact ATSDR at:

Agency for Toxic Substances and Disease Registry
Division of Toxicology/Toxicology Information Branch
1600 Clifton Road NE,
Mailstop E-29
Atlanta, Georgia 30333

FOREWORD

This toxicological profile is prepared in accordance with guidelines developed by the Agency for Toxic Substances and Disease Registry (ATSDR) and the Environmental Protection Agency (EPA). The original guidelines were published in the *Federal Register* on April 17, 1987. Each profile will be revised and republished as necessary.

The ATSDR toxicological profile succinctly characterizes the toxicologic and adverse health effects information for the hazardous substance described therein. Each peer-reviewed profile identifies and reviews the key literature that describes a hazardous substance's toxicologic properties. Other pertinent literature is also presented, but is described in less detail than the key studies. The profile is not intended to be an exhaustive document; however, more comprehensive sources of specialty information are referenced.

The focus of the profiles is on health and toxicologic information; therefore, each toxicological profile begins with a public health statement that describes, in nontechnical language, a substance's relevant toxicological properties. Following the public health statement is information concerning levels of significant human exposure and, where known, significant health effects. The adequacy of information to determine a substance's health effects is described in a health effects summary. Data needs that are of significance to protection of public health are identified by ATSDR and EPA.

Each profile includes the following:

- (A) The examination, summary, and interpretation of available toxicologic information and epidemiologic evaluations on a hazardous substance to ascertain the levels of significant human exposure for the substance and the associated acute, subacute, and chronic health effects;
- (B) A determination of whether adequate information on the health effects of each substance is available or in the process of development to determine levels of exposure that present a significant risk to human health of acute, subacute, and chronic health effects; and
- (C) Where appropriate, identification of toxicologic testing needed to identify the types or levels of exposure that may present significant risk of adverse health effects in humans.

The principal audiences for the toxicological profiles are health professionals at the Federal, State, and local levels; interested private sector organizations and groups; and members of the public. We plan to revise these documents in response to public comments and as additional data become available. Therefore, we encourage comments that will make the toxicological profile series of the greatest use.

Comments should be sent to:

Agency for Toxic Substances and Disease Registry Division of Toxicology 1600 Clifton Road, N.E. Mail Stop E-29 Atlanta, Georgia 30333 The toxicological profiles are developed in response to the Superfund Amendments and Reauthorization Act (SARA) of 1986 (Public Law 99-499) which amended the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA or Superfund). This public law directed ATSDR to prepare toxicological profiles for hazardous substances most commonly found at facilities on the CERCLA National Priorities List and that pose the most significant potential threat to human health, as determined by ATSDR and the EPA. The availability of the revised priority list of 275 hazardous substances was announced in the *Federal Register* on October 25, 2001 (66 FR 54014). For prior versions of the list of substances, see *Federal Register* notices dated April 17, 1987 (52 FR 12866); October 20, 1988 (53 FR 41280); October 26, 1989 (54 FR 43619); October 17, 1990 (55 FR 42067); October 17, 1991 (56 FR 52166); October 28, 1992 (57 FR 48801); February 28, 1994 (59 FR 9486); April 29, 1996 (61 FR 18744); November 17, 1997 (62 FR 61332); and October 21, 1999 (64 FR 56792). Section 104(i)(3) of CERCLA, as amended, directs the Administrator of ATSDR to prepare a toxicological profile for each substance on the list.

This profile reflects ATSDR's assessment of all relevant toxicologic testing and information that has been peer-reviewed. Staff of the Centers for Disease Control and Prevention and other Federal scientists have also reviewed the profile. In addition, this profile has been peer-reviewed by a nongovernmental panel and is being made available for public review. Final responsibility for the contents and views expressed in this toxicological profile resides with ATSDR.

Julie Louise Gerberding,

Agency for Toxic Substances and Disease Registry

NICKEL vii

QUICK REFERENCE FOR HEALTH CARE PROVIDERS

Toxicological Profiles are a unique compilation of toxicological information on a given hazardous substance. Each profile reflects a comprehensive and extensive evaluation, summary, and interpretation of available toxicologic and epidemiologic information on a substance. Health care providers treating patients potentially exposed to hazardous substances will find the following information helpful for fast answers to often-asked questions.

Primary Chapters/Sections of Interest

- **Chapter 1: Public Health Statement**: The Public Health Statement can be a useful tool for educating patients about possible exposure to a hazardous substance. It explains a substance's relevant toxicologic properties in a nontechnical, question-and-answer format, and it includes a review of the general health effects observed following exposure.
- **Chapter 2: Relevance to Public Health**: The Relevance to Public Health Section evaluates, interprets, and assesses the significance of toxicity data to human health.
- **Chapter 3: Health Effects**: Specific health effects of a given hazardous compound are reported by type of health effect (death, systemic, immunologic, reproductive), by route of exposure, and by length of exposure (acute, intermediate, and chronic). In addition, both human and animal studies are reported in this section.
 - **NOTE**: Not all health effects reported in this section are necessarily observed in the clinical setting. Please refer to the Public Health Statement to identify general health effects observed following exposure.

Pediatrics: Four new sections have been added to each Toxicological Profile to address child health issues:

Section 1.6 How Can (Chemical X) Affect Children?

Section 1.7 How Can Families Reduce the Risk of Exposure to (Chemical X)?

Section 3.7 Children's Susceptibility

Section 6.6 Exposures of Children

Other Sections of Interest:

Section 3.8 Biomarkers of Exposure and Effect Section 3.11 Methods for Reducing Toxic Effects

ATSDR Information Center

The following additional material can be ordered through the ATSDR Information Center:

Case Studies in Environmental Medicine: Taking an Exposure History—The importance of taking an exposure history and how to conduct one are described, and an example of a thorough exposure history is provided. Other case studies of interest include Reproductive and Developmental Hazards; Skin Lesions and Environmental Exposures; Cholinesterase-Inhibiting Pesticide Toxicity; and numerous chemical-specific case studies.

NICKEL viii

Managing Hazardous Materials Incidents is a three-volume set of recommendations for on-scene (prehospital) and hospital medical management of patients exposed during a hazardous materials incident. Volumes I and II are planning guides to assist first responders and hospital emergency department personnel in planning for incidents that involve hazardous materials. Volume III—

Medical Management Guidelines for Acute Chemical Exposures—is a guide for health care professionals treating patients exposed to hazardous materials.

Fact Sheets (ToxFAQs) provide answers to frequently asked questions about toxic substances.

Other Agencies and Organizations

- The National Center for Environmental Health (NCEH) focuses on preventing or controlling disease, injury, and disability related to the interactions between people and their environment outside the workplace. Contact: NCEH, Mailstop F-29, 4770 Buford Highway, NE, Atlanta, GA 30341-3724 Phone: 770-488-7000 FAX: 770-488-7015.
- The National Institute for Occupational Safety and Health (NIOSH) conducts research on occupational diseases and injuries, responds to requests for assistance by investigating problems of health and safety in the workplace, recommends standards to the Occupational Safety and Health Administration (OSHA) and the Mine Safety and Health Administration (MSHA), and trains professionals in occupational safety and health. Contact: NIOSH, 200 Independence Avenue, SW, Washington, DC 20201 Phone: 800-356-4674 or NIOSH Technical Information Branch, Robert A. Taft Laboratory, Mailstop C-19, 4676 Columbia Parkway, Cincinnati, OH 45226-1998 Phone: 800-35-NIOSH.
- The National Institute of Environmental Health Sciences (NIEHS) is the principal federal agency for biomedical research on the effects of chemical, physical, and biologic environmental agents on human health and well-being. Contact: NIEHS, PO Box 12233, 104 T.W. Alexander Drive, Research Triangle Park, NC 27709 Phone: 919-541-3212.

Referrals

- The Association of Occupational and Environmental Clinics (AOEC) has developed a network of clinics in the United States to provide expertise in occupational and environmental issues. Contact:

 AOEC, 1010 Vermont Avenue, NW, #513, Washington, DC 20005 Phone: 202-347-4976 •
 FAX: 202-347-4950 e-mail: AOEC@AOEC.ORG Web Page: http://www.aoec.org/.
- The American College of Occupational and Environmental Medicine (ACOEM) is an association of physicians and other health care providers specializing in the field of occupational and environmental medicine. Contact: ACOEM, 55 West Seegers Road, Arlington Heights, IL 60005 Phone: 847-818-1800 FAX: 847-818-9266.

NICKEL i.

CONTRIBUTORS

CHEMICAL MANAGER(S)/AUTHOR(S):

Mike Fay, Ph.D. ATSDR, Division of Toxicology, Atlanta, GA

Sharon Wilbur, M.A. ATSDR, Division of Toxicology, Atlanta, GA

Henry Abadin, M.S.P.H. ATSDR, Division of Toxicology, Atlanta, GA

Lisa Ingerman, Ph.D. Stephen G. Swarts, Ph.D. Syracuse Research Corporation, North Syracuse, NY

THE PROFILE HAS UNDERGONE THE FOLLOWING ATSDR INTERNAL REVIEWS:

- 1. Health Effects Review. The Health Effects Review Committee examines the health effects chapter of each profile for consistency and accuracy in interpreting health effects and classifying end points.
- 2. Minimal Risk Level Review. The Minimal Risk Level Workgroup considers issues relevant to substance-specific minimal risk levels (MRLs), reviews the health effects database of each profile, and makes recommendations for derivation of MRLs.
- 3. Data Needs Review. The Research Implementation Branch reviews data needs sections to assure consistency across profiles and adherence to instructions in the Guidance.

NICKEL

PEER REVIEW

A peer review panel was assembled for nickel. The panel consisted of the following members:

- 1. George Daston, Ph.D., Research Fellow, Miami Valley Laboratories, Proctor & Gamble Company, Cincinnati OH;
- 2. A. Phillip Leber, Ph.D., DABT, Project Manager, Toxicology and Product Acceptability, The Goodyear Tire & Rubber Company, Akron OH; and
- 3. Sam Kacew, Ph.D., ATS, Professor, Department of Cellular and Molecular Medicine, University of Ottawa, Ottawa ON, Canada.

These experts collectively have knowledge of nickel's physical and chemical properties, toxicokinetics, key health end points, mechanisms of action, human and animal exposure, and quantification of risk to humans. All reviewers were selected in conformity with the conditions for peer review specified in Section 104(I)(13) of the Comprehensive Environmental Response, Compensation, and Liability Act, as amended.

Scientists from the Agency for Toxic Substances and Disease Registry (ATSDR) have reviewed the peer reviewers' comments and determined which comments will be included in the profile. A listing of the peer reviewers' comments not incorporated in the profile, with a brief explanation of the rationale for their exclusion, exists as part of the administrative record for this compound. A list of databases reviewed and a list of unpublished documents cited are also included in the administrative record.

The citation of the peer review panel should not be understood to imply its approval of the profile's final content. The responsibility for the content of this profile lies with the ATSDR.

CONTENTS

DISCLA	AIMER	i
UPDAT	E STATEMENT	ii
	ORD	
QUICK	REFERENCE FOR HEALTH CARE PROVIDERS	vi
CONTR	IBUTORS	ix
PEER R	EVIEW	X
CONTE	NTS	xii
LIST OF	F FIGURES	xvi
	F TABLES	
1. PUBI	LIC HEALTH STATEMENT	1
1.1	WHAT IS NICKEL?	1
1.2	WHAT HAPPENS TO NICKEL WHEN IT ENTERS THE ENVIRONMENT?	2
1.3	HOW MIGHT I BE EXPOSED TO NICKEL?	3
1.4	HOW CAN NICKEL ENTER AND LEAVE MY BODY?	
1.5	HOW CAN NICKEL AFFECT MY HEALTH?	5
1.6	HOW CAN NICKEL AFFECT CHILDREN?	7
1.7	HOW CAN FAMILIES REDUCE THE RISK OF EXPOSURE TO NICKEL?	8
1.8	IS THERE A MEDICAL TEST TO DETERMINE WHETHER I HAVE BEEN EXPOS	ED
	TO NICKEL?	8
1.9	WHAT RECOMMENDATIONS HAS THE FEDERAL GOVERNMENT MADE TO	
	PROTECT HUMAN HEALTH?	8
1.10	WHERE CAN I GET MORE INFORMATION?	
2. RELI	EVANCE TO PUBLIC HEALTH	11
2.1	BACKGROUND AND ENVIRONMENTAL EXPOSURES TO NICKEL IN THE UNIT	
	STATES	11
2.2	SUMMARY OF HEALTH EFFECTS	
2.3	MINIMAL RISK LEVELS (MRLs)	
3. HEA	LTH EFFECTS	23
3.1	INTRODUCTION	
3.2		
3.2.	1 Inhalation Exposure	
	3.2.1.1 Death	
	3.2.1.2 Systemic Effects	
	3.2.1.3 Immunological and Lymphoreticular Effects	
	3.2.1.4 Neurological Effects	
	3.2.1.5 Reproductive Effects	
	3.2.1.6 Developmental Effects	
	3.2.1.7 Cancer	
3.2		
	3.2.2.1 Death	
	3.2.2.2 Systemic Effects	
	3.2.2.3 Immunological and Lymphoreticular Effects	
	3.2.2.4 Neurological Effects	
	3.2.2.5 Reproductive Effects	
	3.2.2.6 Developmental Effects	

3.2.2.7	Cancer	107
3.2.3 D	ermal Exposure	
3.2.3.1	Death	108
3.2.3.2	Systemic Effects	108
3.2.3.3	Immunological and Lymphoreticular Effects	113
3.2.3.4	Neurological Effects	
3.2.3.5	Reproductive Effects	
3.2.3.6	Developmental Effects	
3.2.3.7	Cancer	
3.3 GEN	IOTOXICITY	115
3.4 TOX	IICOKINETICS	120
3.4.1 A	bsorptionbsorption	121
3.4.1.1	Inhalation Exposure	121
3.4.1.2	Oral Exposure	122
3.4.1.3	Dermal Exposure	123
3.4.2 D	istribution	124
3.4.2.1	Inhalation Exposure	124
3.4.2.2	Oral Exposure	126
3.4.2.3	Dermal Exposure	127
3.4.2.4	Other Routes of Exposure	127
3.4.3 N	[etabolism	128
3.4.4 E	limination and Excretion	128
3.4.4.1	Inhalation Exposure	128
3.4.4.2	Oral Exposure	129
3.4.4.3	1	
3.4.5 P	nysiologically Based Pharmacokinetic (PBPK)/Pharmacodynamic (PD) Models	130
	CHANISMS OF ACTION	
	harmacokinetic Mechanisms	
	lechanisms of Toxicity	
	nimal-to-Human Extrapolations	
	CICITIES MEDIATED THROUGH THE NEUROENDOCRINE AXIS	
	LDREN'S SUSCEPTIBILITY	
	MARKERS OF EXPOSURE AND EFFECT	
	iomarkers Used to Identify or Quantify Exposure to Nickel	
	iomarkers Used to Characterize Effects Caused by Nickel	
	ERACTIONS WITH OTHER CHEMICALS	
	ULATIONS THAT ARE UNUSUALLY SUSCEPTIBLE	
3.11 ME	THODS FOR REDUCING TOXIC EFFECTS	
3.11.1	Reducing Peak Absorption Following Exposure	
3.11.2	Reducing Body Burden	153
3.11.3	Interfering with the Mechanism of Action for Toxic Effects	
	EQUACY OF THE DATABASE	
3.12.1	Existing Information on Health Effects of Nickel	
3.12.2	Identification of Data Needs	
3.12.3	Ongoing Studies	167
	AND PHYSICAL INFORMATION	
	EMICAL IDENTITY	
4.2 PHY	SICAL AND CHEMICAL PROPERTIES	169
5. PRODUCT	ON, IMPORT/EXPORT, USE, AND DISPOSAL	179

5.1	PRODUCTION	179
5.2	IMPORT/EXPORT	181
5.3	USE	186
5.4	DISPOSAL	187
6 DOTE	NTIAL FOR HUMAN EXPOSURE	100
6.1	OVERVIEW	
6.2	RELEASES TO THE ENVIRONMENT	
6.2.		
6.2.		
6.2.		
6.3	ENVIRONMENTAL FATE	
6.3.		
6.3.2		
	5.3.2.1 Air	
_	5.3.2.2 Water	
-	5.3.2.3 Sediment and Soil	
6.4		
6.4.		
6.4.2		
6.4.		
6.4.		
6.5	GENERAL POPULATION AND OCCUPATIONAL EXPOSURE	
6.6	EXPOSURES OF CHILDREN	
6.7	POPULATIONS WITH POTENTIALLY HIGH EXPOSURES	
6.8	ADEQUACY OF THE DATABASE	
6.8.		
6.8.2		
0.0.2	2 Ongoing Studies	277
7. ANAI	LYTICAL METHODS	249
7.1	BIOLOGICAL MATERIALS	249
7.2	ENVIRONMENTAL SAMPLES.	250
7.3	ADEQUACY OF THE DATABASE	258
7.3.	1 Identification of Data Needs	259
7.3.2	2 Ongoing Studies	260
8 BEGI	JLATIONS AND ADVISORIES	263
o. KEGC	DEATIONS AND ADVISORIES	203
9. REFE	RENCES	271
10 GLO	OSSARY	325
IV. GLO		
APPEND	DICES	
A. ATSI	OR MINIMAL RISK LEVELS AND WORKSHEETS	A-1
B. USEF	R'S GUIDE	B-1
C. ACRO	ONYMS, ABBREVIATIONS, AND SYMBOLS	

LIST OF FIGURES

3-1	Levels of Significant Exposure to Nickel - Inhalation	53
3-2	Levels of Significant Exposure to Nickel - Oral	91
3-3.	Conceptual Representation of a Physiologically Based Pharmacokinetic (PBPK) Model for a Hypothetical Chemical Substance	
3-4.	Diagram of the Compartmental Model of Nickel Metabolism	. 133
3-5.	Existing Information on Health Effects of Nickel	. 157
6-1.	Frequency of NPL Sites with Nickel Contamination.	. 190

LIST OF TABLES

3-1	Levels of Significant Exposure to Nickel - Inhalation	27
3-2.	Alveolar/Bronchiolar Neoplasms and Adrenal Medulla Proliferative Lesions in Rats	77
3-3.	Alveolar/Bronchiolar Neoplasms in Mice	78
3-4	Levels of Significant Exposure to Nickel - Oral	80
3-5	Levels of Significant Exposure to Nickel - Dermal	. 109
3-6.	Genotoxicity of Nickel In Vivo	.116
3-7.	Genotoxicity of Nickel In Vitro	.117
3-8.	Kinetic Parameters of Nickel Sulfate Absorption, Distribution, and Elimination in Humans	.134
3-9.	Clearance Rate Coefficient Constants of Nickel Compounds	.137
3-10.	Ongoing Studies on Nickel Health Effects	.168
4-1.	Chemical Identity of Nickel and Compounds	. 170
4-2.	Physical and Chemical Properties of Nickel and Compounds	. 175
5-1.	Facilities that Produce, Process, or Use Nickel Metal	.182
5-2.	Facilities that Produce, Process, or Use Nickel Compounds	.184
6-1.	Releases to the Environment from Facilities that Produce, Process, or Use Nickel	.191
6-2.	Releases to the Environment from Facilities that Produce, Process, or Use Nickel Compounds	. 194
6-3.	Concentrations of Nickel Measured in Sheetflow Samples taken from Different Urban Source Areas in Birmingham, Alabama	
6-4.	Total Dietary Exposure Estimates of Study Participants to Nickel Based on the Dietary Information Obtained from the NHEXAS Arizona Study	.231
6-5.	Dietary Exposure Estimates of U.S. Populations to Nickel Based on the Dietary Exposure Potential Model (DEPM)	.233
6-6.	Nickel Levels in Air and Distribution of Different Forms of Nickel as a Proportion (by Weigh of Total Nickel in Selected Departments and Time Periods at a Nickel Refinery in Norway	
6-7.	Ongoing Studies on Environmental Fate and the Potential for Human Exposure to Nickel	. 245
7-1.	Analytical Methods for Determining Nickel in Biological Materials	.251

NICKEL xx

7-2.	Analytical Methods for Determining Nickel in Environmental Samples	254
7-3.	Ongoing Studies on Analytical Methods for Quantifying Nickel	261
8-1.	Regulations and Guidelines Applicable to Nickel	265